

# LEED ATTESTATION

## Attestation

LEED Product Information acc. to LEED v2009 for New Construction and Major Renovations.

Sika certifies based on the present state of knowledge, that the product

## **Sarnafil® TS 77 (all thicknesses) traffic white 9016/ beige**

produced in Sarnen, Switzerland, has been tested and evaluated according to the testing method **ASTM E 1980-01** to calculate the **Solar Reflectance Index (SRI)** at new condition. The Initial Solar Reflectance Index (SRI) for all wind conditions > 78.

The SRI is calculated from Solar Reflectance and Thermal Emissivity values. The Solar Reflectance was determined following ASTM C 1549-04. The Thermal Emissivity was determined following ASTM C 1371-04.

The product Sarnafil® TS 77 (all thicknesses), traffic white 9016/ beige conforms on the LEED v2009 SS credit 7.2 option 1 Heat Island reduction – **Roof**. The product can thus contribute to the attainment of 1 full point under this credit.

Sika Services AG

A handwritten signature in black ink, appearing to read "H. Meier".

Heinz Meier  
Corporate System Engineer  
Solar Roof / Thermal Insulation

Sika Services AG

A handwritten signature in black ink, appearing to read "Koichi Oba".

Koichi Oba  
Head Corporate Target Market Roofing

Sarnen, March 2015