



**BCCA**

# CERTIFICATE OF CONFORMITY

001-BK-516-0001-0016-T5711

In compliance with the European Insulation Keymark Scheme Rules for Thermal Insulation Products, BCCA attests that the factory made product, as listed in the annex to this certificate, of cellular glass (CG) used for the thermal insulation of buildings

placed on the market by

**Certificate holder:**

**Pittsburgh Corning Europe SA**  
**Albertkade 1 - BE - 3980 TESSENDERLO**

and produced in the factory

**Production site:**

**Pittsburgh Corning Europe SA**  
**BE - TESSENDERLO**

is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the empowered body - BCCA - has performed the initial type-testing for the relevant characteristics of the product as listed in the annex of this certificate, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control and an audit-testing of samples taken at the factory.

This certificate attests that all provisions concerning the evaluation of conformity mentioned in

**Evaluation of conformity  
and testing basis:**

**European Insulation Keymark Scheme Rules  
for Thermal Insulation Products 2\_1 (2019-09-23)**


**EN 13167 : 2012 + A1 : 2015**

were applied. This certificate entitles the certificate holder to use the Keymark logo in conjunction with the certificate number.

This certificate was issued on 01.01.2022 and remains valid until 31.12.2023 provided that the conditions laid down in the European Insulation Keymark Scheme Rules for Thermal Insulation Products 2\_1 (2019-09-23) are fulfilled and the manufacturing conditions in the factory and the FPC itself are not modified significantly and as long as the surveillance by BCCA is continued with a positive result. The validity of this certificate shall be confirmed by BCCA once a year. On any substantiated request, BCCA will give information about the validity of the certificate.

**N° Certificate 001-BK-516-0001-0016-T5711 | Valid from 01.01.2022 until 31.12.2023**

Issued in Brussels, on December 20, 2021.

  
ir. B. De Blaere,  
President of the General Management  
Committee for Certification & Approval

The validity of this certificate can be checked on the website [www.bcca.be](http://www.bcca.be).

**BELGIAN CONSTRUCTION CERTIFICATION ASSOCIATION ASBL**  
FOUNDERS: BBRI AND SECO  
AARLENSTRAAT 53, BE – 1040 BRUSSELS  
TEL. + 32 2 238 24 11  
MAIL@BCCA.BE | WWW.BCCA.BE



Empowerment  
ID Code: 001



021 PROD

---

Annex to the CEN Keymark Certificate of Conformity  
001-BK-516-0001-0016-T5711

---

Productname: **FOAMGLAS® F**


Technical data:

FOAMGLAS® F	
CG-EN13167-PL(P)1-DS(70,90)-CS(Y)1600-BS550-TR200-WS-WL(P)-CC(1,5/1/50)600	
Thermal Conductivity $\lambda_D$ (W/mK)	0,050
Thickness Range (mm)	40-180
Reaction to Fire (Euroclass)	A1

Data sheet: See [www.keymark.eu](http://www.keymark.eu) for the technical data sheet to the above mentioned certificate number.

This annex was issued on 01.01.2022 and remains valid until 31.12.2023 provided that the CEN Keymark Certificate of conformity with number 001-BK-516-0001-0016-T5711 is valid and the conditions laid down in the European Insulation Keymark Scheme Rules for Thermal Insulation Products 2\_1 (2019-09-23) are fulfilled and the manufacturing conditions in the factory and the FPC itself are not modified significantly and as long as the surveillance by BCCA is continued with a positive result. On any substantiated request, BCCA will give information about the validity of this annex.

Issued in Brussels, on December 20, 2021.



ir. B. De Blaere,  
President of the General Management  
Committee for Certification & Approval