
Information on ingredients
Green Building Product Information (LEED® Information)
illbruck SP025

Traunreut, 23. Jan. 2018

To Whom It May Concern:

tremco illbruck, as an organisation, is committed to quality, responsive to both internal and external customers, our employees, our community and environment, and we will treat all with respect and good stewardship.

Material Manufacturing Location

illbruck SP025 is manufactured in Traunreut, Germany. If Traunreut falls within 500 straight-line miles of the project site, the product is considered to be a locally produced material and can help contribute earning Material & Resources Credit.

Raw Material Extraction Information

No single extracted material is used to produce the majority of this product. Additionally, all raw materials come from one of several sources which in-turn come from one of several raw material feed stocks. As such, point source for the raw materials cannot be determined.

Rapidly Renewable Raw Material Information

The rapidly renewable material content is 0%.

Pre-consumer Recycled Content Information

| | |
|-------------------------|----|
| 310ml cartridge | 0% |
| 400ml foil sausage pack | 0% |
| 600ml foil sausage pack | 0% |

Post-consumer Recycled Content Information

| | |
|-------------------------|----|
| 310ml cartridge | 0% |
| 400ml foil sausage pack | 0% |
| 600ml foil sausage pack | 0% |

VOC Content* Information


illbruck SP025 has a VOC content of 0 g/L equalling 0.0 % by weight and therefore satisfies the LEED criteria for Indoor Environmental Quality (SCAQMD Rule #1168, IEQ 4.1 Adhesives and Sealants).

EPA Method 24 is only applicable to paint, varnish, lacquer or other related surface coatings and therefore not relevant for this product type.

Additional Information

Should you have any questions or require additional information, please do not hesitate to contact Technical Services or your local sales representative.

Sincerely,



i.V. Dr. Michael Futscher
Direktor Forschung & Entwicklung



i.A. Ulrich Schimmer
Forschung & Entwicklung,
Produktsicherheit

* "VOC content" means the mass of volatile organic compounds, expressed in grams/litre (g/l), in the formulation of the product in its ready to use condition

^ "volatile organic compound" (VOC) means any organic compound having an initial boiling point less than or equal to 250°C measured at a standard pressure of 101.3 kPa